



VIEWRAIL

Surface Mount Talon Spigot

Viewrail is America’s leading producer of frameless glass systems. Our Surface Mount Talon Spigot is sustainably made from a single piece of aircraft-grade aluminum. By bypassing the need for welding, our aluminum Surface Talon is the only of its kind in North America to be certified by the International Code Council. Surface Talons have a sleek, minimal profile to help maximize the view, and they are designed for quick and easy install – just mount the talon to the surface, then tighten and adjust the glass using our proprietary hardware.

With their innovative design and durable construction, Surface Mount Talon Spigots do the work for you. We understand each project is unique, so our talons need to stand up to even the harshest environments. That is why each Talon is anodized before being covered with our 2605 Platinum powder coat. That way each Talon receives two coastal-rated finishes.


When it comes to responsibly-made, thoroughly-tested frameless glass systems, there is no competition.



Surface Talon Assembly				
Part Number	Description	Height	Required Talons Per Panel	Weight
559854	Aluminum	6.5”	2 (IRC) - 3+ (IBC)	2.19 lbs



Properties



Tech Specifications

Material: 6061 Aluminum (Aircraft Grade)

Finishes: Custom powder coated to order

Height: Up to 42" Tall (System Height)


Standard Spacing: 4" to center of talon from glass edge

Mount Type: Surface

Composition: Milled from Aluminum Bar Stock,
Reinforced with 2- 316SS Pins

Infill Options: 1/2" Tempered or 9/16"
Laminated Glass

Compliance: ICC International Code Council,
IBC International Building Code® (2015,2018,2021),
IRC International Residential Code® (2015,2018,2021)



Mounting Applications

